

 Quality
Made in Germany

BETA

Address:

BETA Maschinenbau GmbH & Co. KG
Nordhäuser Straße 2
99765 Heringen
Germany

Phone +49 36333 666-190
E-Mail betonwerktechnik@beta-mb.de
Web www.beta-mb.de

Customized products

Deviating from our standard models we also produce according to your special requirements.


@ betonwerktechnik@beta-mb.de

+49 36333 666-190


Tilting & fabrication tables

BETA tilting tables and production tables are robust, tried and tested for decades and achieve very good dimensional accuracy and fair-faced concrete quality during fine-flat and high-gloss ground formwork plates.

We supply complete tilting table systems - with vibration technology, heating, formwork, magnet technology, concrete skips, heavy-duty carriages and storage technology.



Fixed edge



Foldable edge



Adjustable edge




External vibrator



Control devices



Remote control



Heating pipes




Magnetic formworks



Tilting and fabrication tables





For stationary production of flat precast concrete elements in solid or lightweight concrete



Tilting table Type KT

Fabrication table Type FT



Standard versions

- Formwork sizes up to 5 m x 30 m
- For concrete weights up to 1,000 kg/m²
- Edges optionally fixed / foldable / adjustable
- Hydraulic tilting device
- Heating coil and vibrators available

Standard versions

- Formwork sizes up to 5 m x 20 m
- For concrete weights up to 2,000 kg/m²
- Edges optionally fixed / foldable / adjustable
- Heating coil for water or oil use available
- Optional with vibrators, remote control

type	load kg/m ²	width m	length m	height m	sheet mm
KT 500/3,0x6,0	500	3.0	6.0	0.75	8
KT 500/3,0x8,0	500	3.0	8.0	0.75	8
KT 500/3,0x10,0	500	3.0	10.0	0.75	8
KT 500/3,0x12,0	500	3.0	12.0	0.75	8
KT 500/3,0x16,0	500	3.0	16.0	0.75	8
KT 500/3,0x20,0	500	3.0	20.0	0.75	8
KT 500/3,5x6,0	500	3.5	6.0	0.75	8
KT 500/3,5x8,0	500	3.5	8.0	0.75	8
KT 500/3,5x10,0	500	3.5	10.0	0.75	8
KT 500/3,5x12,0	500	3.5	12.0	0.75	8

KT 750/3,5x16,0	750	3.5	16.0	0.75	8/10
KT 750/3,5x20,0	750	3.5	20.0	0.75	8/10
KT 750/4,0x6,0	750	4.0	6.0	0.75	8/10
KT 750/4,0x8,0	750	4.0	8.0	0.75	8/10
KT 750/4,0x10,0	750	4.0	10.0	0.75	8/10
KT 750/4,0x12,0	750	4.0	12.0	0.75	8/10
KT 750/4,0x16,0	750	4.0	16.0	0.75	8/10
KT 750/4,0x20,0	750	4.0	20.0	0.75	8/10
KT 750/4,5x6,0	750	4.5	6.0	0.75	8/10
KT 750/4,5x8,0	750	4.5	8.0	0.75	8/10

KT 1000/4,5x10,0	1000	4.5	10.0	0.75	10
KT 1000/4,5x12,0	1000	4.5	12.0	0.75	10
KT 1000/4,5x16,0	1000	4.5	16.0	0.75	10
KT 1000/4,5x20,0	1000	4.5	20.0	0.75	10
KT 1000/5,0x6,0	1000	5.0	6.0	0.75	10
KT 1000/5,0x8,0	1000	5.0	8.0	0.75	10
KT 1000/5,0x10,0	1000	5.0	10.0	0.75	10
KT 1000/5,0x12,0	1000	5.0	12.0	0.75	10
KT 1000/5,0x16,0	1000	5.0	16.0	0.75	10
KT 1000/5,0x20,0	1000	5.0	20.0	0.75	10

type	load kg/m ²	width m	length m	height m	sheet mm
FT 750/3,0x6,0	750	3.0	6.0	0.6	8/10
FT 750/3,0x8,0	750	3.0	8.0	0.6	8/10
FT 750/3,0x10,0	750	3.0	10.0	0.6	8/10
FT 750/3,0x12,0	750	3.0	12.0	0.6	8/10
FT 750/3,0x16,0	750	3.0	16.0	0.6	8/10
FT 750/3,0x20,0	750	3.0	20.0	0.6	8/10
FT 750/3,5x6,0	750	3.5	6.0	0.6	8/10

FT 1000/3,5x10,0	1000	3.5	10.0	0.6	10
FT 1000/3,5x12,0	1000	3.5	12.0	0.6	10
FT 1000/3,5x16,0	1000	3.5	16.0	0.6	10
FT 1000/3,5x20,0	1000	3.5	20.0	0.6	10
FT 1000/4,0x6,0	1000	4.0	6.0	0.6	10
FT 1000/4,0x8,0	1000	4.0	8.0	0.6	10
FT 1000/4,0x10,0	1000	4.0	10.0	0.6	10

FT 1500/4,0x12,0	1500	4.0	12.0	0.6	10
FT 1500/4,0x16,0	1500	4.0	16.0	0.6	10
FT 1500/4,0x20,0	1500	4.0	20.0	0.6	10
FT 1500/4,5x6,0	1500	4.5	6.0	0.6	10
FT 1500/4,5x8,0	1500	4.5	8.0	0.6	10
FT 1500/4,5x10,0	1500	4.5	10.0	0.6	10
FT 1500/4,5x12,0	1500	4.5	12.0	0.6	10

FT 2000/3,0x12,0	2000	3.0	12.0	0.6	10
FT 2000/3,0x16,0	2000	3.0	16.0	0.6	10
FT 2000/3,0x20,0	2000	3.0	20.0	0.6	10
FT 2000/3,5x6,0	2000	3.5	6.0	0.6	10
FT 2000/3,5x8,0	2000	3.5	8.0	0.6	10
FT 2000/3,5x10,0	2000	3.5	10.0	0.6	10
FT 2000/3,5x12,0	2000	3.5	12.0	0.6	10